

Cat5e – Patch Cables

SNAGLESS BOOT

– General Purpose (CM-Rated) Jacket



LENGTH	GRAY	BLUE	BLACK	GREEN	RED	YELLOW	ORANGE	PURPLE	WHITE	PINK
6in	00931	00932	00933	00934	00935	00936	00937	00938	00939	00940
1ft	24814	23828	26969	24229	26968	22105	00440	00461	29952	00492
2ft	00383	00392	00401	00410	00420	00430	00441	00462	00482	00493
3ft	15177	15178	15180	15179	15223	15221	00442	00463	19479	00494
4ft	00384	00393	00402	00411	00421	00431	00443	00464	00483	00495
5ft	15187	15188	15189	15185	15190	15191	00444	00465	19477	00496
6ft	00385	00394	00403	00412	00422	00432	00445	00466	00484	00497
7ft	15192	15193	15196	15194	15197	15198	00446	00467	19478	00498
8ft	00386	00395	00404	00413	00423	00433	00447	00468	00485	00499
9ft	00387	00396	00405	00414	00424	00434	00448	00469	00486	00500
10ft	15199	15200	15202	15201	15203	15204	00449	00470	25428	00501
12ft	00388	00397	00406	00415	00425	00435	00450	00471	00487	00502
14ft	15205	15206	15208	15207	15224	15210	00451	00472	19529	00503
15ft	22013	22012	22011	00416	00426	00436	00452	00473	00488	00504
20ft	00389	00398	00407	00417	00427	00437	00453	00474	00489	00505
25ft	15211	15212	15222	15213	15215	15216	00454	00475	19520	00506
30ft	00390	00399	00408	00418	00428	00438	00455	00476	00490	00507
35ft	00391	00400	00409	00419	00429	00439	00456	00477	00491	00508
50ft	19305	20037	20038	20036	20088	22142	00457	00478	24046	00509
75ft	26970	22146	26971	22147	22122	22148	00458	00479	27094	00510
100ft	19329	21471	27096	19387	19386	20579	00459	00480	21472	00511
150ft	19378	23870	19381	19389	19388	19349	00460	00481	19352	00512

NON-BOOTED

– General Purpose (CM-Rated) Jacket



LENGTH	GRAY	BLUE	BLACK	GREEN	RED	YELLOW	ORANGE	PURPLE	WHITE	PINK
6in	00941	00942	00943	00944	00945	00946	00947	00948	00949	00950
1ft	24959	25462	26374	25070	25269	25623	00565	00586	27976	00617
2ft	24960	25151	00528	25515	00546	24669	00566	00587	00607	00618
3ft	22672	22673	22677	22674	22675	22676	00567	00588	23800	00619
4ft	00513	00520	00529	00537	00547	00556	00568	00589	00608	00620
5ft	22678	22679	22683	22680	22681	22682	00569	00590	25029	00621
6ft	00514	00521	00530	00538	00548	00557	00570	00591	00609	00622
7ft	22684	22685	22689	22686	22687	22688	00571	00592	23801	00623
8ft	00515	00522	00531	00539	00549	00558	00572	00593	00610	00624
9ft	00516	00523	00532	00540	00550	00559	00573	00594	00611	00625
10ft	22690	22691	22695	22692	22693	22694	00574	00595	25414	00626
12ft	00517	00524	00533	00541	00551	00560	00575	00596	00612	00627
14ft	22696	22697	22701	22698	22699	22700	00576	00597	25237	00628
15ft	22010	22709	22708	00542	00552	00561	00577	00598	00613	00629
20ft	00518	00525	00534	00543	00553	00562	00578	00599	00614	00630
25ft	22702	22703	22707	22704	22705	22706	00579	00600	23803	00631
30ft	00519	00526	00535	00544	00554	00563	00580	00601	00615	00632
35ft	25036	24896	25040	25038	25037	25039	00581	00602	27097	00633
50ft	24392	24393	24395	24394	24396	24397	00582	00603	23796	00634
75ft	24398	24399	24401	24400	24402	24403	00583	00604	22160	00635
100ft	24702	22161	26972	22162	26973	22164	00584	00605	23799	00636
150ft	24636	00527	00536	00545	00555	00564	00585	00606	00616	00637

NON-BOOTED (MULTI-PAKS)

Length	Gray			Blue		
	25 Pk	50 Pk	100 Pk	25 Pk	50 Pk	100 Pk
3ft	24343	24344	24345	24348	24349	24350
7ft	24353	24354	24355	24358	24359	24360
10ft	24363	24364	24365	24368	28324	24370
14ft	24373	24374	24375	24378	24379	24380
25ft	24383	24384	24385	24388	24389	24390

BIGGER. FASTER. STRONGER.

With a newly expanded standard Cat5e and Cat6 cable offering—C2G now has the BIGGEST offering in the IT Channel. With new stocked lengths and colors bringing the total number of products readily available to over 1,100 you can count on C2G to help you find the right solution even FASTER. Not to mention, C2G is committed to your success by providing the right products, at the right time, helping you build STRONGER relationships with your customers while maximizing your profit and revenue.

Cat6 – Patch Cables

SNAGLESS BOOT

– General Purpose (CM-Rated) Jacket



LENGTH	GRAY	BLUE	BLACK	GREEN	RED	YELLOW	ORANGE	PURPLE	WHITE	PINK
6in	00951	00952	00953	00954	00955	00956	00957	00958	00959	00960
1ft	27130	27140	27150	27170	27180	27190	27810	27800	27160	04043
2ft	03965	03973	03981	03989	03998	04007	04016	04025	04034	04044
3ft	27131	27141	27151	27171	27181	27191	27811	27801	27161	04045
4ft	03966	03974	03982	03990	03999	04008	04017	04026	04035	04046
5ft	31340	31341	31342	31344	31345	31346	31348	31347	31343	04047
6ft	03967	03975	03983	03991	04000	04009	04018	04027	04036	04048
7ft	27132	27142	27152	27172	27182	27192	27812	27802	27162	04049
8ft	03968	03976	03984	03992	04001	04010	04019	04028	04037	04050
9ft	03969	03977	03985	03993	04002	04011	04020	04029	04038	04051
10ft	27133	27143	27153	27173	27183	27193	27813	27803	27163	04052
12ft	03970	03978	03986	03994	04003	04012	04021	04030	04039	04053
14ft	27134	27144	27154	27174	27184	27194	27814	27804	27164	04054
15ft	22016	22015	22014	03995	04004	04013	04022	04031	04040	04055
20ft	03971	03979	03987	03996	04005	04014	04023	04032	04041	04056
25ft	27135	27145	27155	27175	27185	27195	27815	27805	27165	04057
30ft	03972	03980	03988	03997	04006	04015	04024	04033	04042	04058
35ft	31350	31351	31352	31354	31355	31356	31358	31357	31353	04059
50ft	27136	27146	27156	27176	27186	27196	27816	27806	27166	04060
75ft	31360	31361	31362	31364	31365	31366	31368	31367	31363	04061
100ft	27137	27147	27157	27177	27187	27197	27817	27807	27167	04062
150ft	27139	27149	27159	27179	27189	27199	27819	27809	27169	04063

NON-BOOTED

– General Purpose (CM-Rated) Jacket



LENGTH	GRAY	BLUE	BLACK	GREEN	RED	YELLOW	ORANGE	PURPLE	WHITE	PINK
6in	00961	00962	00963	00964	00965	00966	00967	00968	00969	00970
1ft	04064	04085	04106	04127	04148	04169	04190	04211	04232	04253
2ft	04065	04086	04107	04128	04149	04170	04191	04212	04233	04254
3ft	04066	04087	04108	04129	04150	04171	04192	04213	04234	04255
4ft	04067	04088	04109	04130	04151	04172	04193	04214	04235	04256
5ft	04068	04089	04110	04131	04152	04173	04194	04215	04236	04257
6ft	04069	04090	04111	04132	04153	04174	04195	04216	04237	04258
7ft	04070	04091	04112	04133	04154	04175	04196	04217	04238	04259
8ft	04071	04092	04113	04134	04155	04176	04197	04218	04239	04260
9ft	04072	04093	04114	04135	04156	04177	04198	04219	04240	04261
10ft	04073	04094	04115	04136	04157	04178	04199	04220	04241	04262
12ft	04074	04095	04116	04137	04158	04179	04200	04221	04242	04263
14ft	04075	04096	04117	04138	04159	04180	04201	04222	04243	04264
15ft	04076	04097	04118	04139	04160	04181	04202	04223	04244	04265
20ft	04077	04098	04119	04140	04161	04182	04203	04224	04245	04266
25ft	04078	04099	04120	04141	04162	04183	04204	04225	04246	04267
30ft	04079	04100	04121	04142	04163	04184	04205	04226	04247	04268
35ft	04080	04101	04122	04143	04164	04185	04206	04227	04248	04269
50ft	04081	04102	04123	04144	04165	04186	04207	04228	04249	04270
75ft	04082	04103	04124	04145	04166	04187	04208	04229	04250	04271
100ft	04083	04104	04125	04146	04167	04188	04209	04230	04251	04272
150ft	04084	04105	04126	04147	04168	04189	04210	04231	04252	04273

SNAGLESS (MULTI-PAKS)

Length	Gray		Blue	
	25 Pk	50 Pk	25 Pk	50 Pk
3ft	29027	29028	29002	29003
7ft	29032	29033	29007	29008
10ft	29037	29038	29012	29013
14ft	29042	29043	29017	29018
25ft	29047	29048	29022	29023



**STILL HAVE QUESTIONS?
WE CAN HELP.**

C2G Chat feature allows you to get real-time answers to all of your questions, without ever hanging up the phone.

Visit www.c2g.com anytime from 8am to 6pm EST to chat with our product experts.

C2G—FIRST IN FIBER

-  2,400+ Fiber SKU's
-  TAA Compliant
-  LSZH
-  Plenum
-  Made in the USA
-  Build To Order
-  Custom

Duplex 62.5/125 Multimode Fiber Patch Cables

62.5/125 micron cable with standard PVC (OFNR, riser-rated) jacket, for fast Ethernet, fibre channel, Infiniband®, ATM, and Gigabit Ethernet applications that require high speed data transfer.

CONNECTOR	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M	15M	20M	30M
LC-LC	33172	33173	33174	33110	33175	33109	33111	33176	33112	33177	33178	33179	33180
LC-SC	33154	33155	33156	33117	33157	33118	33119	33158	33120	33159	33160	33161	33162
LC-ST	33163	33164	33165	33201	33166	33202	33203	33167	33204	33168	33169	33170	33171
SC-SC	09113	09114	09115	09162	09116	09163	09164	21590	09166	09167	09168	10998	20535
SC-ST	09128	09129	09130	09131	09134	09135	09136	09137	09138	09139	09141	10999	15970
ST-ST	05576	05575	05577	05578	05579	05580	05581	08538	09120	06239	09127	10551	06924

Duplex 50/125 Duplex Multimode Fiber Patch Cables

50/125 micron made with standard PVC (OFNR, riser rated) jacket, supports longer distances with lower loss than 62.5/125 fiber for Gigabit Ethernet, fibre channel, Infiniband®, ATM, and internet protocol applications.

CONNECTOR	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M	15M	20M	30M
LC-LC	33027	33028	33029	33030	33031	33032	33033	33034	33035	33036	33038	33039	35130
LC-SC	33014	33015	33016	33017	33018	33019	33020	33021	33022	33023	33025	33026	35131
LC-ST	37400	37401	37402	37403	37404	37405	37406	37407	37408	37409	37410	37411	37412
SC-SC	33001	33002	33003	33004	33005	33006	33007	33008	33009	33010	33012	33013	Call
SC-ST	37415	37416	37417	37418	37419	37420	37421	37422	37423	37424	37425	37426	37427
ST-ST	37430	37431	37432	37433	37434	37435	37436	37437	37438	37439	37440	37441	37442

Duplex 9/125 Single-Mode Fiber Patch Cables

Cost effective 9/125 micron cable for Gigabit Ethernet applications.

CONNECTOR	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M	15M	20M	30M
LC-LC	29191	26264	28758	37460	26566	37461	37462	08355	37463	25977	37464	37465	37466
LC-SC	29190	26260	29920	37467	28950	37468	37469	08356	37470	28523	37471	37472	37473
LC-ST	37474	37475	37476	37477	37478	37479	37480	37481	37482	37483	37484	37485	37486
SC-SC	20808	20455	12505	37487	16816	37488	37489	21763	37490	18575	37491	37492	37493
SC-ST	18310	15289	13478	37494	24762	37495	37496	31796	37497	13479	37498	37499	37453
ST-ST	29951	08353	13701	37454	25933	37455	37456	08354	37457	25885	37458	37459	37380

Simplex 9/125 Single-Mode Fiber Patch Cables

Cost effective 9/125 micron cable for Gigabit Ethernet applications.

CONNECTOR	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M	15M	20M	30M
LC-LC	37103	37104	37105	34700	37106	34701	34702	34703	34704	37107	34705	34706	34707
LC-SC	37108	37109	37110	34708	37111	34709	34710	34711	34712	37112	34713	34714	34715
LC-ST	37113	37114	37115	34716	37116	34717	34718	34719	34720	37117	34721	34722	34723
SC-SC	37128	37129	37130	34724	37131	34725	34726	34727	34728	37132	34729	34730	34731
SC-ST	37123	37124	37125	34732	37126	34733	34734	34735	34736	37127	34737	34738	34739
ST-ST	37118	37119	37120	34740	37121	34741	34742	34743	34744	37122	34745	34746	34747

10GB 50/125 LOMMF Aqua Fiber Patch Cables

LOMMF, laser-optimized "aqua fiber" that's blazing fast for LEC/VCSEL laser light sources and 10 gigabit applications.

CONNECTOR	1M	2M	3M	5M	10M
LC-LC	33045	33046	33047	33048	33050
LC-SC	33051	33052	33053	33054	33056
LC-ST	36121	36122	36123	36125	36130
SC-SC	33057	33058	33059	33060	33062
SC-ST	36111	36112	36113	36115	36120
ST-ST	36101	36102	36103	36105	36110

STILL LOOKING FOR MORE OPTIONS?

Most cables also stocked in colors Black, Blue, Green, and Red in lengths 1m, 2m, 3m, 5m, and 10m.

C2G—PLENUM FIBER

Plenum Duplex 62.5/125 Multimode Fiber Patch Cables

62.5/125 micron cable for Gigabit Ethernet, FDDI, ATM, or any application that requires high speed data transfer—jacket is OFNP plenum rated for in-wall use without conduit.

CONNECTOR	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M	15M	20M	30M
LC-LC	37955	37956	37957	38601	37958	38602	38603	38604	38605	37959	38606	38607	38608
LC-SC	37950	37951	37952	38609	37953	38610	38611	38612	38613	37954	38614	38615	38616
LC-ST	37945	37946	37947	38617	37948	38618	38619	38620	38621	37949	38622	38623	38624
SC-SC	37270	37271	37272	37273	37274	37275	37276	37277	37278	37279	37280	37281	37282
SC-ST	37940	37941	37942	38625	37943	38626	38627	38628	38629	37944	38630	38631	38632
ST-ST	38633	38634	38635	38636	38637	38638	38639	38640	38641	38642	38643	38644	38645

Plenum Duplex 50/125 Duplex Multimode Fiber Patch Cables

OFNP-rated plenum fiber for in-wall use without conduit—50/125 supports longer distances with lower loss than 62.5/125 fiber for Gigabit Ethernet, fibre channel, Infiniband®, ATM, and internet protocol applications.

CONNECTOR	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M	15M	20M	30M
LC-LC	37975	37976	37977	37830	37978	37831	37832	37833	37834	37979	37835	37836	37837
LC-SC	37970	37971	37972	37838	37973	37839	37840	37841	37842	37974	37843	37844	37845
LC-ST	37965	37966	37967	37846	37968	37847	37848	37849	37850	37969	37851	37852	37853
SC-SC	37862	37863	37864	37865	37866	37867	37868	37869	37870	37871	37872	37873	37874
SC-ST	37960	37961	37962	37854	37963	37855	37856	37857	37858	37964	37859	37860	37861
ST-ST	37875	37876	37877	37878	37879	37880	37881	37882	37883	37884	37885	37886	37887

Plenum Duplex 9/125 Single Mode Fiber Patch Cables

Cost effective 9/125 micron cable for Gigabit Ethernet applications with an OFNP plenum rated jacket for in-wall use without conduit.

CONNECTOR	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M	15M	20M	30M
LC-LC	37915	37916	37917	34551	37918	34552	34553	34554	34555	37919	34556	34557	34558
LC-SC	37910	37911	37912	34501	37913	34502	34503	34504	34505	37914	34506	34507	34508
LC-ST	37905	37906	37907	34509	37908	34510	34511	34512	34513	37909	34514	34515	34516
SC-SC	34538	34539	34540	34541	34542	34543	34544	34545	34546	34547	34548	34549	34550
SC-ST	37900	37901	37902	34517	37903	34518	34519	34520	34521	37904	34522	34523	34524
ST-ST	34525	34526	34527	34528	34529	34530	34531	34532	34533	34534	34535	34536	34537

Plenum Simplex 9/125 Single Mode Fiber Patch Cables

Cost effective 9/125 micron cable for Gigabit Ethernet applications with an OFNP plenum rated jacket for in-wall use without conduit.

CONNECTOR	1M	2M	3M	4M	5M	6M	7M	8M	9M	10M	15M	20M	30M
LC-LC	37935	37936	37937	34800	37938	34801	34802	34803	34804	37939	34805	34806	34807
LC-SC	37930	37931	37932	34808	37933	34809	34810	34811	34812	37934	34813	34814	34815
LC-ST	37925	37926	37927	34816	37928	34817	34818	34819	34820	37929	34821	34822	34823
SC-SC	34845	34846	34847	34848	34849	34850	34851	34852	34853	34854	34855	34856	34857
SC-ST	37920	37921	37922	34824	37923	34825	34826	34827	34828	37924	34829	34830	34831
ST-ST	34832	34833	34834	34835	34836	34837	34838	34839	34840	34841	34842	34843	34844

Plenum 10GB 50/125 LOMMF Aqua Fiber Patch Cables

LOMMF, laser-optimized “aqua fiber” that’s blazing fast for LEC/VCSEL laser light sources and 10 gigabit applications with OFNP plenum rated jacket for in-wall use without conduit.

CONNECTOR	1M	2M	3M	5M	10M
LC-LC	36231	36232	36233	36235	36240
LC-SC	36251	36252	36253	36255	36260
LC-ST	36241	36242	36243	36245	36250
SC-SC	36221	36222	36223	36225	36230
SC-ST	36211	36212	36213	36215	36220
ST-ST	36201	36202	36203	36205	36210

